



2010-04-12

# Compact Spiral Loaded Printed Monopole Antenna

Xiulong Bao

*Dublin Institute of Technology*, xiulong.bao@dit.ie

Max Ammann

*Dublin Institute of Technology*, max.ammann@dit.ie

Follow this and additional works at: <http://arrow.dit.ie/ahfrcon>

 Part of the [Systems and Communications Commons](#)

## Recommended Citation

Bao, X. L. & M. J. (2010) Ammann, Compact Spiral Loaded Printed Monopole Antenna, *European Conference on Antennas and Propagation - EuCAP*, Barcelona, Spain, C12P2-4, 12/04/2010, doi:10.21427/D75S3T

This Conference Paper is brought to you for free and open access by the Antenna & High Frequency Research Centre at ARROW@DIT. It has been accepted for inclusion in Conference Papers by an authorized administrator of ARROW@DIT. For more information, please contact [yvonne.desmond@dit.ie](mailto:yvonne.desmond@dit.ie), [arrow.admin@dit.ie](mailto:arrow.admin@dit.ie).



This work is licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 3.0 License](#)



# Compact Spiral Loaded Printed Monopole Antenna

X.L. Bao<sup>1</sup> and M. J. Ammann<sup>1,2</sup>

<sup>1</sup>Antenna & High Frequency Research Centre

<sup>2</sup>CTVR Telecommunications Research Centre

School of Electronic & Communications Engineering,

Dublin Institute of Technology, Kevin Street, Dublin 8, Ireland

[xbao@dit.ie](mailto:xbao@dit.ie), [max.ammann@dit.ie](mailto:max.ammann@dit.ie)

*Abstract*---A novel miniaturized printed monopole structure is proposed. The antenna comprises a printed monopole strip which is loaded by a spiral located on the reverse side connected by a via. The inductive loading provided by the spiral enables considerable miniaturization of antenna. A parametric study of key dimensional parameters and groundplane are discussed.

## INTRODUCTION

Due to their attractive features, such as low cost, omnidirectional radiation characteristics, simple geometry and ease of fabrication, printed planar monopole antennas have been applied in the broad range of applications including wireless communication systems, sensor networks, radio frequency identification systems (RFID) and imaging systems [1]. As the size of these devices decrease due to advances in IC and component technology, there is an increased demand for antenna integration and miniaturization. A circular disc monopole with a crossed-slot and a meander-line feed was recently reported to achieve miniaturization [2]. Strip loading and tapered 3D meanderline techniques have also been employed to reduce monopole size [3-4]. In [5] a meandered monopole antenna with printed sleeves was proposed for the UHF broadband digital television system. Dual-band and UWB low-profile compact antennas are also recently reported in [6-9].

In this paper, a monopole is loaded by a printed spiral arrangement located on the opposite side of the substrate. By using this technology, the spiral inductively loads the monopole and the resonant frequency is significantly reduced. The compact monopole structure is proposed for sensor, RFID and WLAN systems.

## THE GEOMETRY OF THE PROPOSED MONOPOLE ANTENNA

Figure 1 shows the geometry and coordinate system of the proposed compact monopole antenna with dimensional parameters. The antenna port connects to a narrow strip of length  $L_1$  and width  $S_w$ . A spiral strip arrangement of width

$W_1$  and length  $S_1+S_2+S_3+S_4+S_5+S_6$ , is connected to the narrow strip using a via. The spiral is located on the reverse side of the strip. The strip is printed on the same side as the ground plane, which is arranged to be fed by circuitry in layers covering the groundplane. Because of the augmentation by the via connected spiral, there is an increased value of the inductance which is used to lower the working frequency. Thus the spiral loading reduces the antenna size. The proposed antenna is fabricated on FR4 substrate with a relative permittivity  $\epsilon_r = 4.2$ , a thickness of 1.52 mm and a loss tangent of 0.02.




Figure 1 The geometry of the proposed monopole antenna

## NUMERICAL AND EXPERIMENTAL RESULTS

By using CST Microwave studio, the optimized parameters of the antenna were found to be as follows:  $L_g = 94$  mm,  $L_s = 116$  mm,  $W_s = 24$  mm,  $L_l = 22$  mm,  $L_t = 3$  mm,  $S_w = 1.4$  mm,  $W_l = 3$  mm,  $S_l = 15$  mm,  $S_2 = 19$  mm,  $S_3 = 24$  mm,  $S_4 = 15$  mm,  $S_5 = 20$  mm,  $S_6 = 5$  mm,  $W_2 = 2$  mm,  $S_h = 2$  mm,  $L_p = 4.0$  mm.

The proposed monopole antenna is fabricated on the substrate of size  $116 \text{ mm} \times 24 \text{ mm}$ . The narrow strip is connected to the spiral using a via of radius  $0.5 \text{ mm}$ .

Figure 2 shows the measured and simulated  $S_{11}$  for the proposed antenna. The simulated matched bandwidth ( $S_{11} < -10 \text{ dB}$ ) is about  $310 \text{ MHz}$  from  $0.823 \text{ GHz}$  to  $1.133 \text{ GHz}$ , or  $31.7\%$  with respect to the centre frequency of  $0.975 \text{ GHz}$ . The measured impedance bandwidth is about  $285 \text{ MHz}$  from  $0.824 \text{ GHz}$  to  $1.109 \text{ GHz}$ . The simulated results and measured results are in good agreement.

Because of the embedded inductance on the back of the substrate, the working frequency of the proposed antenna can be significantly reduced. The antenna size is considerably smaller than a quarter wavelength monopole. The size of the proposed antenna is  $0.073$  of a wavelength above the groundplane.






Figure 2 The measured and simulated  $S_{11}$  for the proposed antenna



(a)



(b)

Figure 3 The simulated radiation patterns at (a) XOZ plane and (b) YOZ plane

Figure 3 displays the simulated radiation patterns at  $0.825 \text{ GHz}$ ,  $0.975 \text{ GHz}$ , and  $1.125 \text{ GHz}$ , respectively. As seen in Figure 7 (b), the radiation patterns in the YOZ plane are omnidirectional.

The simulated gains are shown in Figure 4. The peak gains are greater than  $1.5 \text{ dBi}$  in the working frequency range. The average gains are also very stable from  $0.825 \text{ GHz}$  to  $1.125 \text{ GHz}$ .




Figure 4 The simulated peak and average gain against frequency.

### PARAMETRIC STUDY

Three types of antennas were studied to explain the operation: a narrow printed strip monopole (antenna A), a strip monopole loaded by a rectangular patch on rearside (antenna B), and the proposed spiral-loaded monopole (antenna C). The working frequencies and bandwidths are compared numerically. The impedance characteristics are shown in Figure 5. It is seen that the proposed antenna has a broad matched impedance bandwidth and can significantly reduce the working frequency of the antenna, in comparison with the strip monopole (antenna A) and plate-loaded monopole (antenna B).




Figure 5 The simulated  $S_{11}$  results for the three antenna types

Figure 6 illustrates the effect of the strip width for the spiral patch on the impedance bandwidth. As the strip width  $W_f$  is increased, the impedance bandwidth of the antenna becomes wider until the  $S_{11}$  degrades and the frequency of lower edge shifts upwards slightly.




Figure 6 The simulated  $S_{11}$  for different spiral widths

Figure 7 shows the impedance characteristics  $S_{11}$  for different values of  $L_p$ , which is the distance between the edge of the ground plane and the edge of the spiral patch. The plots show minor sensitivity of the antenna to this distance. For  $L_p = 4$  mm, the  $S_{11}$  curve is the deeper and impedance matching is best.




Figure 7 The simulated  $S_{11}$  for different  $L_p$

Figure 8 shows the effect of the ground plane length on the impedance characteristics of antenna. It is noted that the

dimension of the ground plane has a significant effect on the  $S_{11}$  of the antenna. When the size of the ground plane become the longer, from 64mm to 94 mm, in 10 mm steps, the impedance matching is improved and so is the bandwidth.




Figure 8 The simulated  $S_{11}$ , as the ground plane length  $L_g$  is varied.

## CONCLUSIONS

A novel miniaturized monopole structure is designed, which is loaded by a printed spiral located on the rearside of the monopole. The proposed monopole antenna can significantly reduce the length of monopole. The antenna is suitable for integration into radio frequency circuits with application in RFID sensor and WLAN systems.

## ACKNOWLEDGEMENTS

This publication has emanated from research conducted with the financial support of Science Foundation Ireland.

## REFERENCES

- [1]. M.J. Ammann, Z.N. Chen, A Wideband Shorted Planar Monopole with Bevel, *IEEE Transactions on Antennas and Propagation*, 51, (4), pp.901-903, 2003.
- [2]. C.S. Liu, C.N. Chiu, and S.M. Deng, A Compact Disc-Slit Monopole Antenna for Mobile Devices, *IEEE Antennas and Wireless Propagation Letters*, 2008, Vol.7, pp251-254.
- [3]. H. Ma, Q.X. Chu, and Q. Zhang, Compact Dual-Band Printed Monopole Antenna for WLAN Application, *Electronics Letters*, 2008, Vol.44, (14), pp.834-835.
- [4]. B. Sun, Q. Liu, and H. Xie, Compact Monopole Antenna for GSM/DCS Operation of Mobile Handsets, *Electronics Letters*, 2003, Vol.39, (22), pp.1562-1563.
- [5]. H.D. Chen, Compact Broadband Microstrip-Line-Fed Sleeve Monopole Antenna for DTV Application and Ground Plane Effect, *IEEE Antennas and Wireless Propagation Letters*, Vol.7, 2008, pp.497-500.
- [6]. T.H. Kim, and D.C. Park, CPW-Fed Compact Monopole Antenna for Dual-Band WLAN Applications, *Electronics Letters*, 2005, Vol.41, (6), pp.291-293.
- [7]. B. Sanz-Izquierdo, P.R. Young, Q. Bai, and J.C. Batchelor, Compact UWB Monopole for Multilayer Applications, *Electronics Letters*, 2006, Vol.42, (1), pp.5-7.
- [8]. Q. Wu, R.H. Jin, and J.P. Geng, and M. Ding, Printed Omni-Directional UWB Monopole Antenna with Very Compact Size, *IEEE Transactions on Antennas and Propagation*, Vol.56, (3), 2008, pp.896-899.
- [9]. W.B. Hong, K. Sarabandi, Low-Profile, Multi-Element, Miniaturized Monopole Antenna, *IEEE Transactions on Antennas and Propagation*, Vol.57, No.1, January 2009, pp.72-80.