



2007-01-01

Sensors for the detection of hazardous emissions

Aidan O'Dwyer

Dublin Institute of Technology, aidan.odwyer@dit.ie

Follow this and additional works at: <http://arrow.dit.ie/engscheleart>

 Part of the [Process Control and Systems Commons](#)

Recommended Citation

O'Dwyer, Aidan :Sensors for the detection of hazardous emissions. Proceedings of Environ 2007 (17th Irish Environmental Researchers Colloquium), p. 121, IT Carlow, January.

This Conference Paper is brought to you for free and open access by the School of Electrical and Electronic Engineering at ARROW@DIT. It has been accepted for inclusion in Conference papers by an authorized administrator of ARROW@DIT. For more information, please contact yvonne.desmond@dit.ie, arrow.admin@dit.ie, brian.widdis@dit.ie.



This work is licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 3.0 License](#)



Sensors for the detection of hazardous emissions

Aidan O'Dwyer,
School of Control Systems and Electrical Engineering,
Dublin Institute of Technology, Kevin St., Dublin 8.
aidan.odwyer@dit.ie

This contribution will detail recent developments in sensor technology for the detection of hazardous emissions. The accurate measurement of such emissions is necessary if they are to be controlled to the appropriate regulations; this latter topic is the subject of a related contribution at the colloquium (Hazard emissions monitoring and control).

Firstly, recent developments in gas analysers will be outlined, to measure, for example, reactive and condensable gases such as HCl, NH₃ and formaldehyde [1], [2]. The measurement of emissions of other harmful pollutants (such as NO_x, for example) is also increasingly important; such measurements are required in steam power plants, for example, in which heat is used to create steam, which, in turn, spins a turbine generator that creates electricity. The heat used to convert water to steam most commonly comes from the burning of a carbon based fuel, such as natural gas or oil; emission of pollutants are the inevitable result. NO_x emissions cause a wide variety of health issues, such as respiratory damage from the resulting particles, and environmental problems, such as ground level ozone (smog), acid rain, water quality deterioration and global warming [3]. Sensors to measure NO_x emissions will be treated in detail [3-6].

However, online measurement devices can be costly. An alternative is to use “virtual sensors”, in which variables are estimated based on their correlation with other, more easily measured, quantities [7-8]. The contribution will conclude by considering such sensors.

References:

1. Worthington, B. (2000). “Continuous emissions monitoring technologies advance with regulations”, *Control Engineering*, February.
2. Jessel, W. (2000). “Plan and design the best gas detection”, *InTech*, September.
3. Deininger, D. *et al.* (2004). “Metal oxides at industry cusp”, *InTech*, August.
4. Basta, N. (2004) “Lights up on emissions monitoring”, *Chemical Processing*, November.
5. Scott, J. (2004). “Nitrogen oxides emission control”, *Control Engineering*, July.
6. Lang, G.A. (2005). “High temperature oxygen sensors”, *InTech*, May.
7. Fortuna, L. *et al.* (2005). “Virtual instruments in refineries: data monitoring for environmental quality”, *IEEE Instrumentation and Measurement Magazine*, October, pp. 26-34.
8. Yan, Y. (2005). “Continuous measurement of particulate emissions”, *IEEE Instrumentation and Measurement Magazine*, October, pp. 35-39.